

HPMVAC Update: Nov. 4, 2021

[What's new in this update](#)

[Vaccine eligibility](#)

[Receiving another vaccine and COVID-19 vaccine](#)

[Proof of Vaccination requirements](#)

[How to get your provincial vaccination certificate](#)

[Vaccination opportunities in Huron-Perth](#)

[Current Vaccination progress](#)

[Second doses](#)

[Third doses](#)

[How to register a vaccine received outside of Ontario \(or Canada\)](#)

[Information for healthcare providers and pharmacists](#)

[APPENDIX A – Individuals eligible for shortened second-dose interval](#)

[APPENDIX B - Individuals eligible for third dose of COVID-19 vaccine](#)

What's new in this update

- Expanded third dose eligibility announced
- HPPH November clinics now available for bookings

Vaccine eligibility

- Individuals turning 12 in 2021 and older are eligible for Pfizer-BioNTech.
- Individuals age 18 or older are eligible for either Moderna (must be minimum 18 years or older) or Pfizer-BioNTech.
- Individuals who received their 1st dose of mRNA vaccine, are eligible to book a second dose 28 days after their first dose.
- See a complete eligibility list for second doses in Appendix A.
- Certain individuals are now eligible for third doses of vaccine, including those with specific medical conditions as well as residents of Long-Term Care Homes and Retirement Homes. Please see the "Third Dose" section in this memo, as well as Appendix B for a complete list of who is eligible for a third dose.

Receiving another vaccine (such as flu shot) and COVID-19 vaccine

- The [National Advisory Committee on Immunization \(NACI\)](#) now recommends that: COVID-19 vaccines may be given at the same time as, or any time before or after, other vaccines, including live, non-live,

adjuvanted, and non-adjuvanted vaccines.

- This means that COVID-19 vaccines may be given at the same time as, or any time before or after, other vaccines such as the flu shot or a childhood immunization (e.g. Meningococcal, Hepatitis B, etc.)
- Flu shots are now available for seniors and others most at risk for complications from the flu. Starting in November, the flu shot will be available for all Ontarians. HPMVAC encourages residents to receive their flu shot as soon as possible once it is available.
 - Flu shots are available through doctor and nurse practitioner offices and participating pharmacies.
 - For the HPPH influenza program, planning with partners is ongoing. There is a possibility that those coming to clinics for COVID vaccines could access flu vaccine at the same time later this fall. We will provide more details as we confirm them. We continue to encourage residents to receive a flu shot through the first available location, whether pharmacy, doctor or nurse practitioner, or public health.

Proof of vaccination requirements

Provincial requirements

- The Ontario government requires people to be fully vaccinated and provide proof of their vaccination status to access certain businesses and settings. This approach focuses on indoor public settings where face coverings cannot always be worn and where the risk of COVID-19 transmission is higher, including:
 - Restaurants, bars and nightclubs
 - Meeting and event spaces
 - Facilities used for sports and fitness activities and personal fitness training
 - Sporting events
 - Casinos, bingo halls and gaming establishments
 - Concerts, music festivals, theatres and cinemas
- There are some exemptions to the above requirement, including people who access only certain parts of settings, people with a documented medical exemption to COVID-19 vaccination, and people under 12 years old who are not yet eligible for vaccination. For a full list, and details, of exemptions, please see [Proof of Vaccination Guidance for Businesses and Organizations under the Reopening Ontario Act](#)
- On Oct. 15, the province introduced the enhanced vaccine certificate with official QR code for Ontario residents. Operators can now download the free app, Verify Ontario, by making it quicker and easier to confirm if a person is fully vaccinated against COVID-19, while protecting their privacy.
 - The existing vaccine receipts will continue to serve as valid proof of vaccination as well.
 - Learn more at the province's [Proof of COVID-19 Vaccination](https://covid-19.ontario.ca/proof-covid-19-vaccination) page (<https://covid-19.ontario.ca/proof-covid-19-vaccination>)
 - See below for information on how to get a provincial vaccination certificate.

HPPH Letter of Instruction for facilities used for organized sport

- As of Oct. 31, owners and operators of sports or recreational fitness facilities in Huron Perth must require proof of COVID-19 vaccination or a valid medical exemption for anyone over the age of 12 who enters an indoor area of a sports or recreational fitness facility to participate in, coach, officiate, or watch organized sport.
 - HPPH has issued a Letter of Instruction to the owners and operators of facilities in the communities they serve, where organized sports are played or practised. The Letter of Instruction can be found at <https://www.hpph.ca/en/health-matters/section-22-orders-and-instructions.aspx>

- This requirement does not apply to school sports. HPPH continues to monitor local case rates, including in schools, and works closely with school boards to provide recommendations on making sports safer.

How to get a provincial vaccination certificate

- At any time you can download and print your vaccine certificate through the provincial portal at <https://covid19.ontariohealth.ca/> (please note there is **no** www in this web address)
- You will need the following to log into the provincial portal:
 - A green photo health (OHIP) card (you will need the numbers from the front and back of the card, expired cards will be accepted)
 - Your date of birth
 - Your postal code that is associated with your health card
- If you need help getting a copy of your receipt (online or a print copy) call the Provincial Vaccine Contact Centre at 1-833-943-3900.
- Public libraries across Huron Perth are also offering to help people print their vaccine receipt.
- One Care Community Support Services is able to help people access their receipt as well: 1-844-482-7800.

Vaccination opportunities in Huron-Perth

HPPH

- November HPPH clinics are now available at www.hpph.ca/vaccinebooking. More dates will be added.
 - Please note HPPH vaccination clinics as of Nov. 5 and later will be bookable only.
 - Clinics will be held at the Stratford Rotary and Goderich Memorial sites, as well as at the Clinton and Stratford HPPH sites and in some smaller communities.
- To book an appointment, visit www.hpph.ca/vaccinebooking or call 1-833-753-2098.
- Please subscribe to the <https://www.hpph.ca/en/health-matters/book-or-find-a-vaccine.aspx> (or www.hpph.ca/vaccinebooking) page if you would like to get updates about eligibility and clinic availability.
 - Please note the above page is the only page that will push out updates.
 - Follow us on Facebook, Twitter or Instagram for the latest updates.
 - www.facebook.com/HuronPerthPublicHealth
 - www.twitter.com/HPPublicHealth
 - www.instagram.com/huronperthpublichealth
- If possible, please bring a completed Client Information Sheet (consent form) found at www.hpph.ca/vaccinebooking under “Book an appointment”.

Pharmacies

- Check with your local pharmacy for possible walk-in opportunities. A list of pharmacies that offer COVID-19 vaccinations can be found at [COVID-19 Pharmacy Vaccine Locations](#).

Current Vaccination progress

- As of October 31, we are reporting 205,797 vaccine doses administered in Huron Perth by HPPH and partners.
- For Huron Perth residents aged 12 and over, 85% have received one dose and 81.6% are fully vaccinated.
- From the Oct 25th web posting to the Nov 1st web posting, there was an increase in 350 (30%) 1st

dose shots and an increase in 805(70%) 2nd dose shots. Total increase in shots was 1155 (dose 1 & dose 2).

- HPPH updates Huron-Perth vaccination coverage information on our COVID-19 Data in Huron and Perth page. Here is a direct link to the dashboard: [COVID-19 Vaccination Coverage Dashboard](#).
- HPMVAC continues to encourage vaccinations for younger in residents in particular. Coverage rates for residents 40 and younger are lower than other age brackets.

Second doses

- Please see Appendix A for more information on second-dose eligibility, including those who should be vaccinated as close to product monograph as possible.
- Anyone aged 12 (turning 12 in 2021) or over, who received an mRNA vaccine (Pfizer or Moderna) as their first dose, can get their second dose generally at least 28 days after their first dose.
 - At this time only Pfizer can be provided to youth turning 12 in 2021 to 17 years old, in keeping with age requirements.
- Please note: HPPH does not book second dose appointments when you get your first dose.

For individuals who received AstraZeneca as first dose

- See our website for information: www.hpph.ca/vaccine

Third doses

- To provide extra protection against COVID-19, Ontario is expanding eligibility for booster doses of the COVID-19 vaccine to additional high-risk groups. The announcement was made Wednesday, Nov. 3, by the province's Chief Medical Officer of Health and aligns with evidence and recommendations from the National Advisory Committee on Immunization.
- Two doses of the COVID-19 vaccine provides strong protection against COVID-19 including against the Delta variant. However, a third dose has been recommended for specific populations to boost protection and increase immune response.
- Those eligible for a booster dose can receive their booster dose through their primary care provider, at an HPPH clinic, or through a local participating pharmacy.
- The following individuals will be eligible for a booster dose **when at least six months have passed since their last dose:**
 - Individuals aged 70 and over (born in 1951 or earlier);
 - Health care workers as outlined in provincial guidance.
 - Designated essential caregivers in congregate settings (including long-term care home and retirement home staff and designated caregivers);
 - Individuals who received a complete series of a viral vector vaccine (two doses of the AstraZeneca vaccine or one dose of the Janssen vaccine); and
 - First Nation, Inuit and Métis adults and their non-Indigenous household members.
- A complete list of eligibility is provided at www.hpph.ca/thirddose.
- For the general population, evidence continues to show that two doses of vaccine provide strong protection against COVID-19 infection and severe outcomes, such as hospitalization, ICU admission, and death. Over time, the province is prepared to expand eligibility for booster doses to all Ontarians, based on age and risk.
- Those with specific medical conditions (see Appendix B) must check with their treating specialist, pharmacist or healthcare practitioner about their eligibility and timing for a third dose at a shortened

(two-month) interval.

- Those who are eligible due to the specified medical conditions may receive a third dose at a minimum of eight weeks after their second dose.
 - Please note for this group (**immunocompromised group**), if you are coming to a HPPH clinic for a third dose, you will be asked for documentation from your healthcare provider or to attest to your medical condition and attest that you have received direction from your healthcare provider to receive a third dose.
- Residents of long-term care homes and higher risk retirement homes are eligible for a third dose at a minimum of 5 months after their second dose.
 - Third dose immunizations have been provided at all eligible Long-Term Care Homes and licensed Retirement Homes in Huron Perth.
 - Public Health Units are able to work with partner ministries to determine eligible senior congregate settings as well.
- Please see Appendix B for a complete list of who is eligible for a third dose at this time.
 - Third doses for the reasons of travel are not being provided at HPPH clinics.

A complete two-dose vaccination series continues to meet all proof of vaccination requirements.

How to register a vaccination received outside of Ontario or Canada

- If you have received one or more doses of a COVID-19 vaccine outside of the Province of Ontario, you should provide your proof of immunization to Huron Perth Public Health. HPPH will add it to COVaxON, the provincial vaccination system.
- Learn more at www.hpph.ca/vaccine. Click the button that says “Registering a vaccine outside of Canada/Ontario”

Information for healthcare providers and pharmacists

- [NACI](#) now recommends that: COVID-19 vaccines may be given at the same time as, or any time before or after, other vaccines, including live, non-live, adjuvanted, and non-adjuvanted vaccines.
- If an individual has received the recommended dose(s) of a COVID-19 vaccine that has not been approved by Health Canada but is listed for emergency use by the WHO (e.g. Sinopharm, Janssen), this will be considered as valid dose(s). We do not recommend additional doses at this time. These individuals should submit their documentation to the HPPH online form and we will enter into COVax ON.
- More information can be found here: [COVID-19 Guidance for Individuals Vaccinated outside of Ontario/Canada](#)
- WHO list of approved vaccines is at bottom of this page: [COVID-19 vaccines | World Health Organization](#)

Also remember

- Regardless of vaccination status, everyone must continue to follow all public health measures as described in Reopening Ontario legislation because a significant number of our population must be vaccinated with both doses to provide enough protection. As long as COVID is still circulating in Ontario, it is important to continue public health measures, even if you are vaccinated. Updated provincial guidance for fully vaccinated individuals is pending.

For More Information

Please visit www.hpph.ca/vaccine for more information, or contact your HPMVAC sector representative. The HPMVAC membership list is available at www.hpph.ca/vaccine. You can also call HPPH at 888.221.2133 for more information.

About HPMVAC

- The Huron Perth COVID-19 Mass Vaccination Advisory Committee (HPMVAC) is a collaborative of multiple relevant sector stakeholder members from our Huron and Perth communities.
- Under the leadership of Huron Perth Public Health, our table has been meeting to inform COVID-19 mass vaccination planning and operations for our communities.
- This memo serves to update you, our community members and partners. Please note, guidance provided is subject to change. This reflects the evolving nature of COVID-19 and related supply chain logistics.

APPENDIX A – Individuals eligible for shortened second-dose interval

- Individuals who are turning 12 in 2021 or older, and have received their 1st dose of mRNA vaccine.

Groups who should receive second dose as close to product monograph as possible:

- Individuals on Immunosuppressive Therapy - Individuals in the authorized age group who are taking an anti-CD20 agent (e.g., rituximab, ocrelizumab, ofatumumab)
 - Please speak to your healthcare provider first, as they can help you with the best timing for your vaccine given your treatment plan.
- Transplant recipients (including solid organ transplants and hematopoietic stem cell transplants).
- Stable, active treatment for malignant hematologic disorders and non-hematologic solid tumour (excluding individuals receiving solely hormonal therapy or radiation therapy).
- If you have one of the above two medical conditions, please contact your primary care provider.
- Individuals undergoing hemodialysis or peritoneal dialysis
- Individuals with an imminent start date for any of above therapies or treatments.

For individuals who received AstraZeneca vaccine as first dose

- If you received AstraZeneca as your first dose, you should receive your second vaccine (AZ or an mRNA) 8-12 weeks later for optimal immune response. (Note the interval related to mRNA 2nd doses may change with the availability of supply). Some people, in consultation with their health care provider, may need to book earlier than 8-12 weeks due to their medical treatment schedule.
- Ontarians who received their first dose of the AstraZeneca COVID-19 vaccine can choose to either receive a second dose of the AstraZeneca vaccine, or an mRNA (Pfizer or Moderna) vaccine for their second dose.
 - Both of these options are safe and provide strong protection against COVID-19. In addition, they will count as a completed vaccine series.
 - Both options are at a recommended 8 to 12-week interval except for the following:
 - An individual should talk to their healthcare provider if they have one of the following conditions and an 8 to 12-week interval would affect the timing of their treatment:
 - Individuals on Immunosuppressive Therapy - Individuals in the authorized age group who are taking an anti-CD20 agent (e.g., rituximab, ocrelizumab, ofatumumab)
 - Transplant recipients (including solid organ transplants and hematopoietic stem cell transplants).
 - Stable, active treatment for malignant hematologic disorders and non-hematologic solid tumour (excluding individuals receiving solely hormonal therapy or radiation therapy).
 - Individuals undergoing hemodialysis or peritoneal dialysis
 - Individuals with an imminent start date for any of above therapies or treatments.

Appendix B: Individuals Eligible for Third Dose of COVID-19 Vaccine

Vulnerable population eligibility (six-month interval)

The following individuals will be eligible for a booster dose when at least six months have passed since their last dose:

- Individuals aged 70 and over (born in 1951 or earlier);
- Health care workers as outlined in provincial guidance (see below).
- Designated essential caregivers in congregate settings (including long-term care home and retirement home staff and designated caregivers);
- Individuals who received a complete series of a viral vector vaccine (two doses of the AstraZeneca vaccine or one dose of the Janssen vaccine); and
- First Nation, Inuit and Métis adults and their non-Indigenous household members.

Healthcare worker eligibility

[Regulated health professionals](#) and any staff member, contract worker, student/trainee, registered volunteer, or other designated essential caregivers currently working in-person in a health care organization, including workers that are not providing direct patient care and are frequently in the patient environment (i.e. cleaning staff, research staff, other administrative staff) are included in the below:

- All hospital and acute care staff including:
 - Critical Care Units, Emergency Departments and Urgent Care Departments, COVID-19 Medical Units, Code Blue Teams, rapid response teams
 - General internal medicine and other specialists, Surgical care, Obstetrics
- All patient-facing health care workers/staff involved in the COVID-19 response:
 - COVID-19 Specimen Collection Centers, COVID-19 Isolation Centers
 - Mobile Testing Teams, COVID-19 Laboratory Services, Teams supporting outbreak response (e.g., IPAC teams supporting outbreak management, inspectors in the patient environment)
 - COVID-19 vaccine clinics and mobile immunization teams
 - Current members of Ontario's Emergency Medical Assistance Team (EMAT)
- Medical First Responders (ORNGE, paramedics, firefighters providing medical first response, police and special constables providing medical first response as part of their regular duties).
- Health care workers and designated essential caregivers in congregate settings (assisted living, correctional settings, shelters, LTCHs/RHs, supportive housing, hospices and palliative care settings, etc.)
- Home and community health care workers, providing in-person care, including:
 - Needle exchange/syringe programs & supervised consumption and treatment services
 - Indigenous health care service providers including but not limited to: Aboriginal Health Access Centers, Indigenous Community Health Centers, Indigenous Interprofessional Primary Care Teams, and Indigenous Nurse Practitioner-Led Clinics
 - Community health centres, chronic homecare, birth centres, dentistry and dental hygiene, Pharmacies, Primary care, Walk-in clinics, gynecology/obstetrics, Midwifery, Nurse practitioner-led clinics/Contract nursing agencies, Otolaryngology (ENT), medical and surgical specialties, medical transport, laboratory services, independent health facilities, health care providers in developmental services, mental health and addictions services
 - Health care workers in schools/daycare/campus, sexual health clinics, community diagnostic imaging, dietary/nutrition, audiology, naturopathy, holistic care, chiropractic, chronic pain clinics, kinesiology/physiotherapy, occupational therapy, psychiatry, acupuncture, registered massage therapy, psychotherapy, social work, public health

Immunocompromised eligibility (two-month interval)

Those who are eligible may receive a 3rd dose at a minimum of eight weeks after their second dose. Refer to [COVID-19 Vaccine Third Dose Recommendations](https://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/docs/vaccine/COVID-19_vaccine_third_dose_recommendations.pdf) (https://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/docs/vaccine/COVID-19_vaccine_third_dose_recommendations.pdf) for more information.

Third dose eligibility in this group includes individuals with the following conditions:

- Individuals receiving active treatment¹ (e.g., chemotherapy, targeted therapies, immunotherapy) for solid tumour or hematologic malignancies.
- Recipients of solid-organ transplant and taking immunosuppressive therapy.
- Recipients of chimeric antigen receptor (CAR) T-cell therapy or hematopoietic stem cell transplant (within 2 years of transplantation or taking immunosuppression therapy).
- Individuals with moderate to severe primary immunodeficiency (e.g., DiGeorge syndrome, Wiskott-Aldrich syndrome).
- Individuals with stage 3 or advanced untreated HIV infection and those with acquired immunodeficiency syndrome.
- Individuals receiving active treatment with the following categories of immunosuppressive therapies: anti-B cell therapies² (monoclonal antibodies targeting CD19, CD20 and CD22), high-dose systemic corticosteroids³, alkylating agents, antimetabolites, or tumor-necrosis factor (TNF) inhibitors and other biologic agents that are significantly immunosuppressive.

Senior congregate settings (long-term care, retirement homes)

- Residents of high-risk congregate settings including long-term care homes, licensed retirement homes and First Nations elder care lodges.
- This group is eligible to receive a third dose at a minimum of 5 months after their second dose.
- HPPH and partners have provided third doses to this group.
Public Health Units are able to work with partner ministries to determine eligible senior congregate settings as well.

¹Active treatment includes patients who have completed treatment within 3 months

²Active treatment for patients receiving B-cell depleting therapy includes patients who have completed treatment within 12 months

³Refer to the Immunization of immunocompromised persons: Canadian Immunization Guide - Canada.ca for additional information.